


# AGROK COMPANY LIMITED



## AGROK COMPANY LIMITED

Email: sales@agrok.net  
 Tel: 0086-13306498973  
 Address: No.515-13 Huanghe 1st Road,  
 Binzhou, Shandong, China, 256600  
 Website: www.agrok.net  
 Alibaba: www.agrok.com.cn



Casting Net



Gill Net








Fishing Trap



Rope & Twine

### SPECIFICATION OF CASTING NET

<p><b>Twine size</b></p>  <p>MonoFilament</p>  <p>Multifilament</p>	<p>Twine :nylon multifilament or monofilament.                  The common size of monofilament is 0.20mm,0.25mm,0.28mm and 0.30mm.                  The common size of multifilament is 210D/3,210D/6,210D/9.</p>
<p><b>Mesh size</b></p> 	<p>Mesh size:the casting net hole.Generally fishman call half mesh as square mesh and call full mesh as stretch mesh.                  The common mesh size is 3/16"sq(3/8"str), 1/4"sq(1/2"str), 3/8"sq(3/4"str), 1/2"sq(1"str), 1"sq(2"str)</p>
<p><b>Radius</b></p> 	<p>Radius:means how long is the casting net.It is also called length or depth.                  The common radius is 3ft,4ft,5ft,6ft,7ft,8ft,9ft,10ft,11ft,12ft,15ft.</p>
<p><b>Sinker</b></p>	     <p>Hot Galvanized Iron    Plastic Coated Iron    Lead Olive    Lead Bob    Lead Chain</p>
<p><b>Packing</b></p>	     <p>Hand Bag    Hand Box    Round Box    Round Bucket    Square Bucket</p>


### STRUCTURE OF CAST NET




THE BULLSEYE CAST NET

THE PIE PANEL CAST NET

### AMERICAN STYLE CAST NET(DRAWSTRING)



### JAPANESE STYLE CAST NET(BOTTOM POCKET)



## AMERICAN SYTLE CAST NET(DRAWSTRING)

Drawstring Cast Nets is also called American Style Cast Net.

Most useful when you need to close the net mid-water, e.g. targeting suspended bait, from piers/jetties or over snaggy ground in deeper water.



ITEM	RADIUS	MESH SIZE	MATERIAL	WEIGHT	SINKER TYPE
REGULAR SERIES	3FT-12FT	3/8"SQ	MONO	0.75LB/FT	Plastic coated iron
	4FT-12FT	1/4"SQ	MONO		
PROFESSIONAL SERIES	3FT-12FT	3/8"SQ	MONO	1.0LB/FT	Olive lead
	4FT-12FT	1/4"SQ	MONO		
COMMERCIAL SERIES	3FT-12FT	3/8"SQ	MONO	1.5LB/FT	Bob lead
	4FT-12FT	1/4"SQ	MONO		
EASY-ELEGENT SERIES	3FT-6FT	3/8"SQ	NYLON	0.75LB/FT	Plastic coated iron
EASY-SHARP SERIES	3FT-6FT	3/8"SQ	MONO	0.75LB/FT	Olive lead
FRISBEE SERIES	6FT-12FT	3/8"SQ	MONO	0.75LB/FT	Plastic coated iron
RAINBOW SERIES	7FT-10FT	3/8"SQ	MONO	1.0LB/FT	Olive lead

## ▲ REGULAR SERIES:

- ▲ High quality of netting Nylon monofilament.
- ▲ 3/4 lb of weight per radius foot.
- ▲ Plastic Coated Iron Sinkers.
- ▲ Heavy duty 80 lbs of Braille lines.
- ▲ HD braided floating 26 ft handline with wrist strap.

ITEM	RADIUS	MESH SIZE	MATERIAL	
AL123803	3FT	3/8"SQ	MONO	
AL123804	4FT	3/8"SQ	MONO	
AL123805	5FT	3/8"SQ	MONO	
AL123806	6FT	3/8"SQ	MONO	
AL123807	7FT	3/8"SQ	MONO	
AL123808	8FT	3/8"SQ	MONO	
AL123809	9FT	3/8"SQ	MONO	
AL123810	10FT	3/8"SQ	MONO	
AL123812	12FT	3/8"SQ	MONO	

ITEM	RADIUS	MESH SIZE	MATERIAL	
AL121404	4FT	1/4"SQ	MONO	
AL121405	5FT	1/4"SQ	MONO	
AL121406	6FT	1/4"SQ	MONO	
AL121408	8FT	1/4"SQ	MONO	
AL121410	10FT	1/4"SQ	MONO	
AL121412	12FT	1/4"SQ	MONO	

**Note:**

- ΔThe net could be nylon multifilament 210D/4 instead of nylon monofilament.
- ΔWeight could be lead sinkers or zinc iron sinkers instead of plastic coated iron.
- Δ Mesh size 3/16", 5/8" or 1/2" are also provided.

## ▲ PROFESSIONAL SERIES:

▲ High quality of netting Nylon monofilament.

▲ 1 lb of weight per radius foot.

▲ lead Sinker.

▲ Heavy duty 80 lbs of Braille lines.

▲ HD braided floating 26 ft handline with secured splice knots.

ITEM	RADIUS	MESH SIZE	MATERIAL	
AM133803	3FT	3/8"SQ	MONO	
AM133804	4FT	3/8"SQ	MONO	
AM133805	5FT	3/8"SQ	MONO	
AM133806	6FT	3/8"SQ	MONO	
AM133807	7FT	3/8"SQ	MONO	
AM133808	8FT	3/8"SQ	MONO	
AM133809	9FT	3/8"SQ	MONO	
AM133810	10FT	3/8"SQ	MONO	
AM133812	12FT	3/8"SQ	MONO	

ITEM	RADIUS	MESH SIZE	MATERIAL	
AM131404	4FT	1/4"SQ	MONO	
AM131405	5FT	1/4"SQ	MONO	
AM131406	6FT	1/4"SQ	MONO	
AM131408	8FT	1/4"SQ	MONO	
AM131410	10FT	1/4"SQ	MONO	
AM131412	12FT	1/4"SQ	MONO	

**Note:**

△ The net could be nylon multifilament 210D/4 instead of nylon monofilament.

△ Weight could be plastic coated iron sinkers or zinc iron instead of lead.

△ Mesh size 3/16", 5/8" or 1/2" are also provided.

## ▲ COMMERCIAL FISHING SERIES:

▲ Superior fishing monofilament netting, double strength than normal line

▲ 1.5 lb of weight per radius foot.

▲ Lead Sinker.

▲ double lead line.

▲ Heavy duty 100 lbs of Braille lines.

▲ HD braided floating 26 ft handline with secured splice knots

ITEM	RADIUS	MESH SIZE	MATERIAL	
AH133803	3FT	3/8"SQ	MONO	
AH133804	4FT	3/8"SQ	MONO	
AH133805	5FT	3/8"SQ	MONO	
AH133806	6FT	3/8"SQ	MONO	
AH133807	7FT	3/8"SQ	MONO	
AH133808	8FT	3/8"SQ	MONO	
AH133809	9FT	3/8"SQ	MONO	
AH133810	10FT	3/8"SQ	MONO	
AH133812	12FT	3/8"SQ	MONO	

ITEM	RADIUS	MESH SIZE	MATERIAL	
AH131404	4FT	1/4"SQ	MONO	
AH131405	5FT	1/4"SQ	MONO	
AH131406	6FT	1/4"SQ	MONO	
AH131408	8FT	1/4"SQ	MONO	
AH131410	10FT	1/4"SQ	MONO	
AH131412	12FT	1/4"SQ	MONO	

**Note:**

△ The net could be nylon multifilament 210D/4 instead of nylon monofilament.

△ Weight could be plastic coated iron sinkers or zinc iron instead of lead.

△ Mesh size 3/16", 5/8" or 1/2" are also provided.

## ▲ EASY THROW SERIES:

Many people believe that throwing a cast net is difficult to learn. With the Easy Throw Series, cast netting is simple and quick to learn.

This is a new cast net for the beginning cast net user that practically opens itself every time you throw it. The secret to the ease of use in the new Easy Throw Series Cast Nets is its aluminum ring or plastic ring. The ring at the top of the net displaces centrifugal force evenly to the cast net ensuring it will open correctly every time.

▲ A big plastic ring for Easy throwing.

▲ High quality of netting Nylon multifilament.

▲ 3/4 lb of weight per radius foot.

▲ Plastic Coated Iron Sinker.

▲ Heavy duty 80 lbs of Braille lines.

▲ HD braided floating 26 ft handline with wrist strap.



ITEM	RADIUS	MESH SIZE	MATERIAL	
E423803	3FT	3/8"SQ	NYLON	
E423804	4FT	3/8"SQ	NYLON	
E423805	5FT	3/8"SQ	NYLON	
E423806	6FT	3/8"SQ	NYLON	



▲ A big aluminum ring for Easy throwing.

▲ Superior fishing monofilament netting, double strength than normal line

▲ 3/4 lb of weight per radius foot.

▲ Lead Sinker.

ITEM	RADIUS	MESH SIZE	MATERIAL	
S133803	3FT	3/8"SQ	MONO	
S133804	4FT	3/8"SQ	MONO	
S133805	5FT	3/8"SQ	MONO	
S133806	6FT	3/8"SQ	MONO	



**Note:**

ΔThe net could be nylon multifilament 210D/4 instead of nylon monofilament.

Δ1/2" or 1/4" mesh size also provide .

## ▲ FRISBEE SERIES:

The Frisbee quickly and easily snaps on to any cast net in less than fifteen minutes. Once installed, it will practically guarantee that each and every throw will be a perfect and full circle.

- ▲ Is simple to learn and use
- ▲ Easily attaches to any 6- 12 foot cast net
- ▲ 3/4 lb of weight per radius foot.
- ▲ Plastic Coated Iron Sinker.
- ▲ Guarantees no tangled nets or lines
- ▲ Allows accurate targeting of moving bait
- ▲ Keeps you clean and dry
- ▲ Can throw larger nets in water over waist deep
- ▲ Allows large-net throws even from small boats
- ▲ Throws a perfect circle every time



ITEM	RADIUS	MESH SIZE	MATERIAL	
FL123806	6FT	3/8"SQ	MONO	
FL123807	7FT	3/8"SQ	MONO	
FL123808	8FT	3/8"SQ	MONO	
FL123809	9FT	3/8"SQ	MONO	
FL123810	10FT	3/8"SQ	MONO	
FL123812	12FT	3/8"SQ	MONO	

**Note:**

- ΔThe net could be nylon multifilament 210D/4 instead of nylon monofilament.
- ΔWeight could be lead sinkers or zinc iron sinkers instead of plastic coated iron.
- Δ Mesh size 3/16", 5/8" or 1/2" are also provided .

## ▲ RAINBOW SERIES

Bright and colorful like rainbow, not only beautiful, heavier and stronger, easy to learn.

- ▲ Imported fishing twine, double tension, 6 pieces pie panel construction.
- ▲ 1 lb of weight per radius foot.
- ▲ Lead Sinkers.
- ▲ With latest patented frisbee, beginners can use bigger net.
- ▲ By 24  $\phi$ 1mm twine and tied three knots, sinker line can be fastened well with net.
- ▲ 16 ply high-strength PE rope, hollow and floatable, easy to draw the net.
- ▲ Professional rope band, protect wrist by such special design.
- ▲ Instruction book is available in every box.
- ▲ Copper columnar swivel, special for deep ocean.
- ▲ Double lead rope design.



ITEM	RADIUS	MESH SIZE	MATERIAL	
RM133807	7FT	3/8"SQ	MONO	
RM133808	8FT	3/8"SQ	MONO	
RM133809	9FT	3/8"SQ	MONO	
RM133810	10FT	3/8"SQ	MONO	


**Note:**

△Weight could be plastic coated iron or zinc iron sinkers instead of lead sinkers.



## BOTTOM POCKETS CAST NET

Bottom pockets cast net is a kind of traditional commercial cast net in Asian countries including China, Malaysia, Japan. So it is also called Asian style cast net or Japanese style cast net. It is also popular in the Middle EAST, Turkey, Australia.



ITEM	RADIUS	MESH SIZE	MATERIAL	WEIGHT	TYPE OF SINKERS
OLIVE LEAD SERIES	6FT-12FT	3/4"STR	MONO	0.75LB/FT	Olive lead
	6FT-12FT	1/2"STR	MONO		
	6FT-12FT	1"STR	MONO		
	6FT-12FT	3/4"STR	NYLON		
	6FT-12FT	1"STR	NYLON		
LEAD CHAIN SERIES	6FT-12FT	3/4"STR	MONO	0.75LB/FT	Lead chain
	6FT-12FT	1/2"STR	MONO		

	6FT-12FT	1"STR	MONO		
	6FT-12FT	3/4"STR	NYLON		
	6FT-12FT	1"STR	NYLON		
TOP POCKET SERIES	10FT&12FT	3/4"STR	MONO	0.75LB/FT	Olive lead
	10FT&12FT	1"STR	MONO		

## ▲ OLIVE LEAD SERIES:

▲ High quality of netting monofilament or Nylon multifilament.

▲ 3/4 lb of olive lead per radius foot.

▲ HD braided floating 26 ft handline with wrist strap.

▲ Pockets are the extra length besides the net body.

ITEM	RADIUS	MESH SIZE	MATERIAL	
B133406	6FT	3/4"STR	MONO	
B133407	7FT	3/4"STR	MONO	
B133408	8FT	3/4"STR	MONO	
B133409	9FT	3/4"STR	MONO	
B133410	10FT	3/4"STR	MONO	
B133412	12FT	3/4"STR	MONO	

ITEM	RADIUS	MESH SIZE	MATERIAL	
B131206	6FT	1/2"STR	MONO	
B131207	7FT	1/2"STR	MONO	
B131208	8FT	1/2"STR	MONO	
B131209	9FT	1/2"STR	MONO	
B131210	10FT	1/2"STR	MONO	
B131212	12FT	1/2"STR	MONO	

ITEM	RADIUS	MESH SIZE	MATERIAL	
B131006	6FT	1"STR	MONO	
B131007	7FT	1"STR	MONO	

B131008	8FT	1"STR	MONO	
B131009	9FT	1"STR	MONO	
B131010	10FT	1"STR	MONO	
B131012	12FT	1"STR	MONO	

ITEM	RADIUS	MESH SIZE	MATERIAL	
B433406	6FT	3/4"STR	NYLON 210D/4	
B433407	7FT	3/4"STR	NYLON 210D/4	
B433408	8FT	3/4"STR	NYLON 210D/4	
B433409	9FT	3/4"STR	NYLON 210D/4	
B433410	10FT	3/4"STR	NYLON 210D/4	
B433412	12FT	3/4"STR	NYLON 210D/4	

ITEM	RADIUS	MESH SIZE	MATERIAL	
B431006	6FT	1"STR	NYLON 210D/6	
B431007	7FT	1"STR	NYLON 210D/6	
B431008	8FT	1"STR	NYLON 210D/6	
B431009	9FT	1"STR	NYLON 210D/6	
B431010	10FT	1"STR	NYLON 210D/6	
B431012	12FT	1"STR	NYLON 210D/6	

## ▲ LEAD CHAIN SERIES:

- ▲ High quality of netting monofilament or Nylon multifilament.
- ▲ 3/4 lb of lead chain per radius foot.
- ▲ HD braided floating 26 ft handline with wrist strap.
- ▲ Pockets are the extra length besides the net body.

ITEM	RADIUS	MESH SIZE	MATERIAL	
B153406	6FT	3/4"STR	MONO	
B153407	7FT	3/4"STR	MONO	
B153408	8FT	3/4"STR	MONO	

B153409	9FT	3/4"STR	MONO	
B153410	10FT	3/4"STR	MONO	
B153412	12FT	3/4"STR	MONO	

ITEM	RADIUS	MESH SIZE	MATERIAL	
B151206	6FT	1/2"STR	MONO	
B151207	7FT	1/2"STR	MONO	
B151208	8FT	1/2"STR	MONO	
B151209	9FT	1/2"STR	MONO	
B151210	10FT	1/2"STR	MONO	
B151212	12FT	1/2"STR	MONO	

ITEM	RADIUS	MESH SIZE	MATERIAL	
B151006	6FT	1"STR	MONO	
B151007	7FT	1"STR	MONO	
B151008	8FT	1"STR	MONO	
B151009	9FT	1"STR	MONO	
B151010	10FT	1"STR	MONO	
B151012	12FT	1"STR	MONO	

ITEM	RADIUS	MESH SIZE	MATERIAL	
B453406	6FT	3/4"STR	NYLON 210D/4	
B453407	7FT	3/4"STR	NYLON 210D/4	
B453408	8FT	3/4"STR	NYLON 210D/4	
B453409	9FT	3/4"STR	NYLON 210D/4	
B453410	10FT	3/4"STR	NYLON 210D/4	
B453412	12FT	3/4"STR	NYLON 210D/4	

ITEM	RADIUS	MESH SIZE	MATERIAL	
------	--------	-----------	----------	--

B451006	6FT	1"STR	NYLON 210D/6	
B451007	7FT	1"STR	NYLON 210D/6	
B451008	8FT	1"STR	NYLON 210D/6	
B451009	9FT	1"STR	NYLON 210D/6	
B451010	10FT	1"STR	NYLON 210D/6	
B451012	12FT	1"STR	NYLON 210D/6	

## ▲ TOP POCKET SERIES:

- ▲ Top pocket.
- ▲ High quality of netting Nylon monofilament.
- ▲ 3/4 lb of olive lead per radius foot.
- ▲ HD braided floating 26 ft handline with wrist strap.
- ▲ Pockets are the extra length besides the net body.




ITEM	RADIUS	MESH SIZE	MATERIAL
T133410	10FT	3/4"STR	MONO
T133412	12FT	3/4"STR	MONO
T131010	10FT	1"STR	MONO
T131012	12FT	1"STR	MONO

**LOVE SAILING, ENJOY FISHING.**

## GILL NET


Gillnetting is a common fishing method used by commercial and artisanal fishermen of all the oceans and in some freshwater and estuary areas.

Gill nets are vertical panels of netting normally set in a straight line. Fish may be caught by gill nets in 3 ways : (1) wedged – held by the mesh around the body (2) gilled – held by mesh slipping behind the opercula, or (3) tangled – held by teeth, spines, maxillaries, or other protrusions without the body penetrating the mesh. Most often fish are gilled. A fish swims into a net and passes only part way through the mesh. When it struggles to free itself, the twine slips behind the gill cover and prevents escape







Floating Gill Nets

- Floating in the surface
- For the fishes living in the surface of water.



Bottom Gill Nets

- Stand on the bottom
- For the fishes living on the bottom of water.

TWINE SIZE	MESH SIZE
There are two kinds of twine: monofilament and multifilament (see page ?) The twine size depend on mesh size. Generally, big mesh nets take thick twine and small mesh nets take thin twine.	There are two measuring methods: half mesh and full mesh. Half mesh was also called square mesh, full mesh also called stretch mesh. (see page?)
LENGTH	DEPTH
There are two measuring methods: Metre measuring: how many metres is the length of the gill nets? Mesh length measuring: how many meshes on the length way? The metre measuring is the most common length measuring method.	There are two measuring methods: Mesh depth measuring: how many meshes on the depth way? Metre measuring: how many metres is the depth of the gill net? Mesh depth is called MD, it is the most common depth measuring method.
KNOTS	SELVAGE
Double knot (DK)  Single knot (SK) 	Double selvage (DSTB)  Single selvage (SSTB) 
SINKERS	FLOATS
Lead line Lead button Iron line Iron button	Floating rope Plastic float
STRETCHING WAY	
Lead line Lead button Iron line Iron button	


## GILL NET- MONO LAYER GILL NET



Mono layer gill net	
Mesh Size	10mmsq; 15mmsq; 20mmsq; 25mmsq; 30mmsq; 35mmsq; 40mmsq; 45mmsq; 50mmsq; 55mmsq; 60mmsq; 65mmsq; 70mmsq; 80mmsq
Twine	0.10mm, 0.12mm, 0.15mm, 0.18mm, 0.20mm, 0.28mm
depth	1.2m; 1.5m; 1.8; 2.0m; 2.4m; 3m; 6m
length	15m; 30m; 50m; 60m; 90m; 100m
float	Float line: PE float
Sinker	Lead line, iron line; olive lead; fish-shaped lead; fish-shaped iron.



GILL NET - TRAMMEL NET



GILL NET - TRAMMEL NET




SPRING CAGE



Trap net-Spring cage	
size	25cm*45cm;30cm*60cm;33*60cm;40*80cm;50*85cm;55*105cm;60*105cm;70*105cm
net	PE380D/9;PE380D/15;PE380D/18;PE380D/21;nylon210D/12

SHOE SHAPED CAGE



Trap net-Square cage	
size	60cm*43cm*22cm;75cm*55cm*28cm;90cm*60cm*30cm
net	PE380D/9;PE380D/15;PE380D/18

SQUARE CAGE



Trap net-Square cage	
size	60cm*43cm*22cm;75cm*55cm*28cm;90cm*60cm*30cm
net	PE380D/9;PE380D/15;PE380D/18

THREE ENT RANCE CRAB CAGE




Trap net-Square cage	
size	38cm*20cm;45cm*20cm
net	PE380D/9;PE380D/21

FISHING NETS



ROPE AND TWINE




FLOATS AND SINKERS



**LEAD SINKERS**

- our sinkers are use for fishing and fishing net weights.
- we can make it in different size.
- we can make it in different shape.

LANDING NET



LONG TRAP CAGE(GREAT WALL CAGE)



Trap net-Great wall cage	
Size of frame	18cm*32cm*10m;22cm*35cm*10m;27cm*40cm*16m; 27cm*40cm*26m;60cm*80cm*35m.
net	Knot or knotless PE380D/3;PE380D/4;PE380D/6

AGRICULTURAL NETS



ANTI-BIRD NET

AQUACULTURE NETS

